

Clansthal Conservancy - Butterfly List

Butterflies likely to occur in Clansthal

taken from Ivor Miggdoll's Field Guide to Butterflies of Southern Africa - Second edition 1994

(79 genera and 144 species)

Prepared by Q V Mann - March 2006

English and Afrikaans names are given, as well as a simple word description.

Names in **BOLD** are most common species.

No	Name	Common name (Eng / Afrik)	Size and brief description
1	Danaus chrysippus aegyptius	Milkweed butterfly, African monarch / Melkbosskoenlapper	50-70 mm, black-bordered orange-brown with white spots in the border, sexes similar.
2	Amauris niavius dominicanus (3 species)	Friar / Monnik	80-85 mm, black and white markings, male has lighter border to hindwings, male has dark brown scent patch on hind wing.
3	A. ochlea ochlea	Novice / Outannie	55-65 mm, white patches on black wings, grey abdomen. Similar to 61, diadem.
4	A.albimaculata albimaculata	Layman / Ouheks	55-70 mm, brown-black wings with white or pale yellow spots on forewings and yellow patch on hind wings
5	Melanitis leda helena	Twilight brown / Skemerbruintjie	55-70 mm, well-camouflaged grey-brown with large yellow, black and white eye-spots.
6	Bicyclus safitza safitza	Common bush-brown / Swartbosbruintjie	40-48 mm, uniform light-brown with two black and white eyespots on each forewing.
7	Henotesia perspicua	Eyed bush-brown / Moeraswagter	40-48 mm, lighter brown with one large and several smaller yellow, brown & white eyespots, underside lighter.
9	Paralethe dendrophilus	Bush beauty / Bosprag	45-65 mm, dark brown, white tipped border shading to spotted yellow-brown.
19	Bematistes aganine aganice	Wanderer / Swartbontrooitjie	60-75 mm, black and white with black spots at base of hindwings.
20	Acraea horta (17 species)	Garden acraea / Tuinrooitjie	45-53 mm, female is reddish, male is brick-orange, black spots and silver-black border, translucent near wing-tip.
21	A. neobule neobule	Wandering donkey / Dwaaleselrooitjie	48-55 mm, similar to 20 but paler, prominent hindwing border and male is more transparent
22	A. cerasa cerasa	Tree-top acraea / Boomtoprooitjie	48-55 mm, translucent yellowish-orange with black dots and fine dark border.
23	A. admantha	Rain-forest acraea / Reënbosrooitjie	47-52 mm, similar to 21 and 22, forewing tips translucent.
25	A. igola	Dusky-veined acraea / Vuilvensterrooitjie	40-52 mm, dusky translucent and red forewing tips, hindwings reddish with black spots.
26	A. rahira rahira	Marsh acraea / Moerasrooitjie	35-48 mm, small yellow butterfly with light brown border, brown dots and brown body.
27	A. eponaea eponaea	Dancing acraea / Kleinoranjerooitjie	35-43 mm, small common and distinctive, female is orange with wide black border, male is very variable.
28	A. cabira	Yellow-banded acraea / Geelstrooprooitjie	30-45 mm, variable in size and extent of yellow patches within a wide dark brown border.

29	<i>A. esebria esebria</i>	Dusky acraea / Kafferbokrootjie	45-60 mm, variable with several named forms, dark brown colour with four light orange patches
31	<i>A. natalica natalica</i>	Natal acraea / Natalse rootjie	55-63 mm, conspicuous, orange black spotted, black tipped forewings, black margin to hindwings.
32	<i>A. oncaea</i>	Rooibok acraea / Rooibokkie	40-55 mm, female light red-brown with dark veins, spots and border, male variable with white forewing patches.
34	<i>A. zetes</i>	Large spotted acraea / Ridderrootjie	55-70 mm, similar to 31, larger black spots on forewings and white patch on underside hindwings.
37	<i>Pardopsis punctatissima</i>	Polka dot / Polastippel	30-35 mm, unmistakable pale orange, with black border and many black polka dots.
38	<i>Stonehamia varanes varanes</i>	Pearl emperor / Pereldubbelstert	65-80 mm, pearly white body and centre, reddish brown and orange markings on outer wings
39	<i>Charaxes candiope</i> (10 species, protected)	Green-veined charaxes / Skelmdubbelstert	70-85 mm, base of fore- and hindwings bright yellow, outer wings dark with orange blotches.
41	C. brutus natalensis	White-barred charaxes / Witstreepdubbelstert	60-80 mm, common distinctive, black uppersides and bold white or light yellowish wing-band.
42	<i>C. xiphares</i>	Forest king charaxes / Boskoningdubbelstert	65-80 mm, several subspecies, female black with broken blue shimmering band across wings.
44	<i>C. cithaeron cithaeron</i>	Blue-spotted charaxes / Bosprinsdubbelstert	70-90 mm, similar to 42, broad white band across wings, blue spots on hindwings light undersides.
45	<i>C. zoolina zoolina</i>	Club-tailed charaxes / Wit-en-bruindubbelstert	40-55 mm, summer form dark brown borders and greenish white, winter form brown and orange.
46	<i>C. jahluca</i>	Pearl-spotted charaxes / Silverkoldubbelstert	40-55 mm, orange with brown dots and orange and brown borders, pearl spots on undersides.
48	<i>C. ethalion ethalion</i>	Coastal charaxes / Kusdubbelstert	45-60 mm, variable, female dusky black, male black with white band and spots, undersides light.
50	<i>Cymothoe alcimeda</i>	Battling glider / Alsiewitkoppie	42-52 mm, female creamy white with brown markings on dorsal margins, male brown with white or yellow.
51	<i>C. coranus</i>	Blond glider / Corawitkoppie	52-65 mm, similar to 50 but larger, sexes again very different.
53	<i>Pseudacraea boisduvalli trimenii</i>	Trimen's false acraea / Trimen-valsrootjie	65-80 mm, palatable species which mimics unpalatable large spotted acraea (No 34).
54	<i>P. eurytus imitator</i>	False wanderer / Skaruweevalsrootjie	65-70 mm, another palatable mimic of the unpalatable wanderer (No 19).
55	<i>P. lucretia tarquinia</i>	False chief / Bontvalsrootjie	60-70 mm, mimics <i>Amauris</i> spp (see No 4) both in flight and habits.
56	<i>Neptis saciava marpessa</i>	Small spotted sailor / Spikkelswewer	42-48 mm, small brown to black with white dots on forewings and broad white band on hindwings.

57	<i>N. goochii</i>	Streaked sailor / Streepieswewer	32-38 mm, small rounded forewings, brown and white, bordered by three parallel white lines.
58	<i>Byblia anvataracheloides</i>	Joker / Tolliegrasvegter	40-48 mm, female rich orange base colour with brown markings, male lighter orange with brown markings.
59	<i>Eurytela hiarbas angustata</i>	Pied piper / Witlintbosvlieër	45-50 mm, black butterfly with clear white band across each hind wing and part of forewings.
60	<i>E. dryope angulata</i>	Golden piper / Oranjelintbosvlieër	42-50 mm, dark-brown with a broad orange or rich gold sub-marginal band across both wings.
61	Hypolimnas misippus	Female: diadem / blouglang Male: mimic / na-aper	60-75 mm, world-wide, female black with six white patches, male mimics the monarch - nature's best.
62	<i>H. deceptor deceptor</i>	Deceptive mimic or Scarce diadem / Skelemapie	65-80 mm, rare, mimics No 3, black with white patches and black veins, dark abdomen.
63	<i>H. antherdon wahlbergi</i>	Variable mimic or Variable diadem / Verneukertjie	75-90 mm, mimics No 2 black with large white patches.
64	<i>Eunica boisduvali boisduvali</i>	Brown tree-nymph / Boombruintjie	35-43 mm, small sombre mid-brown, row of tiny dark spots on hind wing, underside orange-brown.
65	<i>E. natalensis</i>	Natal tree-nymph / Natalse boombruintjie	40-48 mm, similar to 64, female mid-brown with fine dots and streaks, male dots and streaks bolder.
66	<i>Protogoniomorpha parhassus</i>	Mother-of-pearl / Perlemoenvinder	65-85 mm, white-green with pearl-like violet lustre, several beautiful ocelli (concentric rings).
67	<i>P. anacardii nebulosa</i>	Clouded mother-of-pearl / Newelperlemoen	55-70 mm, similar to 66 but more darkly marked, dark outer wings.
68	Catacroptera cloanthe	Pirate / Seerover	50-60 mm, often seen difficult to catch, orange colour with scalloped margins and brown bars.
69	Junonia natalica natalica (8 species)	Brown commodore / Natalse-blaarvlerk	45-55 mm, brown and red, four white spots on forewings, commodore stripes on hindwings.
70	<i>J. terea elgiva</i>	Soldier commodore / Bosblaarvlerk	42-50 mm, brown base colour with curving orange bands on both wings and ocelli on hindwings.
72	<i>J. octavia sesamus</i>	Gaudy commadore / Rooi-en-bloublaarvlerk	50-60 mm, seasonally different, summer form red with dark margin winter form blue black & orange.
73	<i>J. archesia</i>	Garden inspector / Rotsblaarvlerk	45-60 mm, summer form brown with creamy yellow stripe, winter form brown and light-blue.
74	J. oenone oenone	Blue pansy; Black pansy / Blougesiggie	40-50 mm, common, black overall with prominent large blue spots and white margin on hindwings.
75	<i>J. hierta cerbrene</i>	Yellow pansy / Geelgesiggie	40-50 mm, black with bright orange and yellow patches on wings, and a blue patch on hindwings.
77	Vanessa cardui	Painted lady / Sondagsrokkie	40-50 mm, cosmopolitan, orange with dark

			apical tips and white markings, underside intricate.
78	<i>Antanartia hippomene</i> hippo	Short-tailed admiral; Yellow admiral / Bosnooientjie	42-47 mm, dark brown with broad yellow band dividing forewings and on margin of hindwings.
79	<i>A. schaeneia</i> <i>schaeneia</i>	Long-tailed admiral / Langstertbosnooientjie	40-49 mm, similar to 78 with longer tail, both species with intricate markings on underside.
80	<i>Lachnoptera ayresii</i>	Blotched leopard / Vaalkolluiperd	40-55 mm, orange with dark markings and fine lines near apex and wing margins.
81	<i>Phalanta phalantha</i> <i>aethiopica</i>	Poplar leopard; African leopard / Populierluiperd	42-47 mm, both sexes orange with delicate black markings and parallel lines on outer margins.
82	<i>Libythea labdaca laius</i>	Snout butterfly / Snuitvlinder	43-50 mm, long snout in front of eyes, brown with white spots near apex and other buff markings.
83	<i>Alaena amazoula</i>	Yellow Zulu / Geel Zoeloe	20-28 mm, yellow and grey striped abdomen, yellow-striped wings and grey to black wing-veins.
84	<i>Pentila tropicalis</i> <i>tropicalis</i>	Spotted buff / Spikkelgeelvlertjie	32-38 mm, small pale buff-yellow colour above and below, dark dots at apex of wing cells.
85	<i>Durbania amakosa</i>	Amakosa rocksitter / Amakosa-klipsitter	25-35 mm, weak flier, dark brown with curved orange bands on both wings, speckled underside.
90	Cyclus pirthous	Common blue / Gewone bloutjie	23-27 mm, only female is blue, male is brown with white fringed dark spots, undersides mottled.
91	<i>Deloneura millari</i> <i>millari</i>	Millar's buff / Millar-geelvlertjie	32-36 mm, yellow with forewing margin and apex dark, male lighter, underside hindwings speckled.
92	<i>Lachnocnema bibulus</i>	Woolly -legs / Wolpootjie	22-26 mm, unmistakable woolly legs, grey-brown unicolour, male patchy and resembles bird droppings.
95	<i>Virachola diocles</i> (4 species)	Orange-barred playboy / Skaduspelertjie	24-37 mm, female bright orange hindwing front dark, male light cream with false tail 'antennae' and eyespot.
97	V. antalus	Brown playboy / Bruin spelertjie	25-35 mm, female brown with grey mottles, male light brown with grey blue centre, tail eyespot & antennae.
98	<i>V. dinochares</i>	Apricot playboy / Appelkoosspelertjie	25-32 mm, female apricot with brown edges and tail 'antennae', male light grey with mottles tail eyespots and 'antennae'
99	<i>Myrina silenus ficedula</i>	Fig-tree blue / Vyeboombloutjie	30-38 mm, metallic deep blue centre, bordered first by dark then chestnut brown outer margins, long wing tails
100	<i>M. dermaptera</i> <i>dermaptera</i>	Lesser fig-tree blue / Kleinvyeboombluetjie	26-34 mm, metallic turquoise centre, with costa margin and outer wings pitch black, underside dead leaf, male less blue.
101	<i>Hypolycaena phillipus</i>	Purple-brown hairstreak / Persbruinstertbloutjie	23-30 mm, female light mauve sheen in sunlight, two tails and hindwing eyespots, male light brown, underside cream.

102	<i>H. buxtoni buxtoni</i>	Buxton's hairstreak / Buxtonstertbloutjie	23-30 mm, female similar to 101, darker mauve, male brownish-black with broad white band, two tails and tail eyespots.
104	<i>Stugeta bowkeri bowkeri</i>	Bowker's tailed blue / Bowkerstertbloutjie	30-36 mm, sexes similar, forewing pale blue suffused with white and black, dark border, 3 dark spots and 2 hair tails.
105	<i>Lolaus silas</i> (8 species)	Sapphire / Saffier	30-36 mm, female bright metallic blue with dark border, red tail dot and two hairtails, male lighter blue and brown.
107	<i>L. sidus</i>	Red-line sapphire / Rooistreepsaffier	25-33 mm, female metallic pale blue with triangular dark apical area, male lighter, underside white with red stripes, tails and dots.
112	<i>L. aemulus aemulus</i>	Short-barred sapphire / Wegkruipertjie	30-38 mm, sexes similar, metallic blue with dark apical area three dark spots on hindwing, underside white with red lines.
114	Spindasis natalensis	Natal barred blue / Natalstreepvlerkie	25-32 mm, blue centre with dark margins and two orange patches on forewings, underside white with orange lined bars.
117	<i>Chloroselas pseudozeritis</i>	Brilliant gem / Skitterjuweeltjie	20-24 mm, brilliant steel-blue at some angles, underside spotted silvery dots ringed in black, two small hair-tails.
119	Axiocerses tjoane	Common scarlet / Ralierooivlerkie	22-30 mm, female bright scarlet with dark apical border and apricot hind wings, male orange with brown dots and border.
121	<i>Leptomyrina hirundo</i>	Tailed black-eye / Langstertswartgie	18-26 mm, female upperside uniformly dark grey with white edged black eye, male grey-brown, both have long twisted tails.
123	<i>Gonatomyrina gorgias gorgias</i>	Common black-eye / Gewone swartgie	20-30 mm, sexes similar, grey brown colour with pearl-like sheen and white-edged hindwing, four prominent black dots.
129	<i>Anthene definita definita</i> (21 species)	Common hairtail / Donkerkortstertjie	25-28 mm, female plain purple above with narrow darker margin, male patterned silvery-blue, light brown & white, 3 hair tails
131	<i>A. amarah amarah</i>	Black-striped hairtail / Swartstreepkortstertjie	20-25 mm, female light brown above with golden sheen and narrow dark brown border, male darker, abdomen striped.
132	A. butleri livida	Pale hairtail / Vaalkortstertjie	23-27 mm, most common hairtail, 21 subspecies, light brown with silver blue, single black eyespot, male more blue.
133	<i>Cacyreus lingeus</i>	Bush blue / Bosbloutjie	25-28 mm, female uniform dull violet above, white and light brown ciliate fringe, male light brown and white with suffusion of violet-blue
134	C. marshalli	Geranium bronze; Geranium blue / Malvabloutjie	18-22 mm, uniform dull bronze with fringe of white and bronze ciliate fringe, underside white and bronze markings
135	<i>Tuxentius melaena melaena</i>	Black-pie / Bontbloutjie	18-24 mm, forewings black with four white patches, hindw'gs black and white, underside white with black angular patches.
136	<i>Tarucus sybaris sabaris</i>	Dotted blue / Spikkelbloutjie	23-26 mm, female light violet, male light bronze and white; undersides creamy white with many evenly spaced black spots.
138	Lampides boeticus	Lucerne blue; Long-tailed blue / Lusernbloutjie	25-32 mm, widespread, female light violet with brown border, male light violet and

			brown, broader brn border, tail eyespots.
141	<i>Eicochrysops hippocrates</i>	White-tipped blue / Witpuntbloutjie	22-25 mm, female dark bronze with white tipped wings and black and orange tail eyespot, male bronze and silvery blue.
142	<i>Cupidopsiscissus</i>	Meadow blue / Vleibloutjie	25-32 mm, female rich violet with narrow bronze border, 1 or 2 black and orange anal dots, male more bronze lighter violet.
143	<i>Freyeria trochylus</i>	Grass jewel / Grasjuweeltjie	13-18 mm, 3rd smallest in SA , female and male both chocolate brown, three black and orange anal dots on hindwing.
144	<i>Azanus jesous jesous</i>	Topaz blue / Hemelsbloutjie	22-25 mm, female deep violet narrow brown margin with white ciliate fringe, male more bronze, underside white & brn spots.
145	<i>Oraidium barberae</i>	Dwarf blue; Barber's blue / Dwergbloutjie	8-14 mm, smallest in the world, sexes similar, dark brown with white ciliate fringe, underside light freckled 4 eyespots.
146	<i>Zizula hylax hylax</i>	Gaika blue / Gaika-bloutjie	15-19 mm, female small, violet with brown margin, male dull brown, undersides whitish with spots & brown border stripes & dots.
159	<i>Poecilmitis natalensis</i>	Coast copper / Kuskopervlertjie	22-28 mm, sexes similar, metallic copper-red with brown margins and angular dots, scalloped hindwings.
164	<i>Lepidochrysops tantalus</i>	King blue / Koningbloutjie	31-35 mm, female violet-brown dark bar in wing cell, male dull brown less blue and variable, light ciliate fringe.
166	<i>L. plebeia plebeia</i>	Twin-spot blue / Dubbelkolbloutjie	31-40 mm, plain khaki brown, dark spot in forewing cell and orange and black anal eyespot, male bright metallic blue.
167	<i>L. patricia</i>	Patricia blue / Patricia-bloutjie	35-40 mm, female deep metallic violet with light brown margins 2 anal back and orange spots, male less violet more brown.
169	<i>Pinacopteryx eriphia eriphia</i>	Zebra white / Quagga	40-55 mm, sexes similar, dark black-brown with whitish yellow bands and dots, underside light with brown patches.
170	<i>Colias electo electo</i>	African clouded yellow / Lusernvlinder	35-40 mm, female orange and yellow with broad dark border black dot on forewing, male more patchy and variable.
171	Catopsilia florella	African migrant / Afrikaanse swerwer	55-65 mm, female rich yellow with greenish tinge, black dot on forewing cell, male lemon yellow black dot on forewing.
172	<i>Eurema hecabe solifera</i> (3 species)	Common grass-yellow / Laerveldgeletjie	25-40 mm, variable, both sexes bright yellow with broad black border at apex, underside yellow and spotted.
173	<i>E. brigitta brigitta</i>	Broad bordered grass-yellow / Grasveldgeltjie	30-35 mm, both sexes bright yellow with dark brown border yellow ciliate fringe.
174	<i>E. desjardinsii marshalli</i>	Angled grass-yellow / Reenbosgeltjie	35-40 mm, similar to 173 but has rounded inside dark contour to forewing, wet season broader dark border
175	<i>Eronia cleodora cleodora</i>	Vine-leaf vagrant / Druiveblaarswerwer	45-60 mm, sexes similar, white with broad uneven black border, white dots at apex, scolloped hindwings.

176	E. leda	Orange-and-lemon / Herfsblaarswerwer	45-50 mm, sexes similar in dry season differ in wet, female yellow with orange tipped forewings, male wet seas' brown tips.
177	Nepheronia argia varia	Large vagrant / Grootswerwer	50-70 mm, largest 'white' in S A, female white with black apical area, male variable but orange patch at base of forewing.
178	N. buquetii buquetii	Buquet's vagrant / Buquet-swerwer	45-50 mm, female white with black apical border on forewing, male nearly all white, slight darkening at apex.
184	Colotis erone (16 species)	Coast purple-tip / Natalperspuntjie	40-50 mm, female white with black forewing tips, 3 purple cells, male very variable orange, white or yellow replaces purple.
185	C. ione	Purple-tip / Perspuntjie	45-50 mm, female white with black forewing tips, 5 purple cells, male very variable orange, white or yellow replaces purple.
187	C. danae annae	Scarlet-tip / Skarlakenpuntjie	40-50 mm, sexes similar, grey and white patterned with scarlet forewing tips and black border, male lighter.
188	C. aurora dissociatus	Sulphur orange-tip / Swaeloranlepuntjie	35-40 mm, female wet seas' yellow with orange forewing tips and black margins, male similar but with black spots.
189	C. antevippe gavis	Red-tip / Rooipuntjie	35-40 mm, female white with red apical patch bordered in black, dark lateral bar from forewing base, male black white and orange.
193	C. evagore antigon	Small orange-tip / Kleinoranjepuntjie	30-35 mm, variable, similar to 189 female white with orange apical patch bordered in black, male brown and white no orange.
196	Belenois thysa thysa (5 species)	False dotted-border / Valsvoëlentwitjie	50-60 mm, female yellow with narrow black dotted border, male with pink flush at base of forewing and white not yellow.
197	B. zochalia zochalia	Forest white / Boswitjie	40-50 mm, female white with silver sheen, black and white border, black bar on forewing, male with yellow hindwings.
198	B. aurota aurota	Brown-veined white / Grasveldwitjie	40-45 mm, female white with broad brown apical margins and a curved bar in forewing, male with yellow cells on underside.
199	B. cerona severina	African common white / Afrikaanse gewone witjie	40-45 mm, female white with broad black and white apical borders male variable, white or yellow with broad black & yellow borders.
200	B. gidica	African veined white / Laeveldwitjie	40-55 mm, similar to 199, female white with brown apical forewing and a bar in wing cell, male yellow with broader brown margins.
201	Dixeia charina charina (4 species)	African small white / Kuststreekwitjie	35-40 mm, female white with narrow black border to forewing tip, dark body, male with more brown and forewing dots.
203	D. pigea	Ant-heap white / Miershoopwitjie	40-50 mm, female white with narrow black border and black dots on margins, male variable with white fore' and yellow hindwings.
205	Appias epaphia contracta	Diverse white / Willewitjie	40-50 mm, seasonally variable, female white with black forewing tips, hind wings plain, male more black, white dots in wingtips.
206	Pontia helice helice	Meadow white; Cabbage white / Bontrokkie	35-40 mm, female white with black and white forewing tips, male white with black and

			white markings on both wings.
208	<i>Mylothris rueppellii haemus</i>	Twin-dotted border / Oranjavlerkwitjie	50-55 mm, female white with black forewing tips and round dots on margins, male similar with yellow at base of wings.
209	<i>Princeps dardanus cenea</i> (7 species)	Mocker swallowtail / Na-aperswaelstert	75-90 mm, female boldly marked black forewing tips, bright yellow base, long tail on hindwing, male variable usually black and white.
210	<i>P. echeriodes echeriodes</i>	White-banded swallowtail / Witlintswaelstert	70-75 mm, female boldly black with broad white band across both wings, no tail, male variable mimic spotted rather than banded.
213	P. demodocus demodocus	Citrus swallowtail; Christmas b' / lemoenvlinder; lemoenskoenlap	80-90 mm, sexes similar both tail-less, black with yellow band across hindwing and many yellow dots, four eyespots.
214	P. nireus lyaeus	Banded swallowtail; Black velvet / Groenlintswaelstert	75-85 mm, sexes similar both tail-less, black with light blue-green band across both wings, two or three spots near apex.
215	<i>P. ophidicephalus</i>	Emperor swallowtail / Koningswaelstert	80-120 mm, largest in S A, sexes similar both carry a long tail, similar to 214.
216	<i>Graphium morania</i> (6 species)	White lady swordtail / Witnooientjie	50-60 mm, sexes similar both tail-less, black with large white patch and spots on both wings, underside orange and white.
217	<i>G. leonidas leonidas</i>	Veined swordtail / Bontswaardstert	75-80 mm, sexes similar both tail-less, black with several white spots of various size and shape, male has white hairs.
218	<i>G. polices</i>	Small striped swordtail / Ooskusswaadstert	55-65 mm, sexes similar both carry long swordtails, black with many light blue-green stripes and spots.
220	<i>Coeliades forestan forestan</i>	Striped policeman / Witbroekconstabel	45-55 mm, sexes similar, forewings uniform brown or with light patch, hindwings brown margin orange hairs near base.
221	<i>Celaenorrhinus mokeezi</i>	Christmas forester; Large sprite / Kersfeesbosjagter	35-40 mm, sexes similar, brown with two yellow bars on forewings and smaller yellow dots on hindwings.
222	<i>Tigiades flesus</i>	Clouded forester; Clouded flat / Skaduweedartelaartjie	40-45 mm, dull brown above, white to underside hindwing, this flashes when on the wing.
223	<i>Sarangesa motozi</i>	Elfin skipper / Motozi-springertjie	32-35 mm, mottled brown, three small white spots near apex, several larger spots in mid forewing, 1 spot on mid hindwing.
224	<i>Netrobalane canopus</i>	Brown-tipped skipper / Bruinpuntspringertjie	30-40 mm, forewing brown base and apex, midwing white with clear patches, hindwing similar with white cilliae fringe.
225	<i>Spialia spio</i> (14 species)	Mountain sandman / Bergsandmannitjie	22-28 mm, dark brown with several creamy spots of different shape and size, underside similar only lighter brown.
226	<i>Metisella metis paris</i>	Gold-spotted sylph / Reenboswalsertjie	25-30 mm, dark brown sometimes almost black with gold angular spots on both wings, rays of gold near base.
227	<i>Kedestes macomo</i>	Macomo ranger / Makomo-swerwer	22-30 mm, dark brown with lighter ciliate fringe and gold markings, underside gold with brown spots and stripes.
230	Molenta flara	Banana nightfighter / Piesang	40-55 mm, plain brown pointed wings, big

		skemervegter	body, comes out twilight, audible in flight.
231	Artitropa erinnys erinnys	Bush nightfighter / Bosskemervegter	40-50 mm, similar to 230, but with white dots on forewing and yellow patches on hindwing, big eyes, underside dark
232	Gegenes hottentota hottentota	Latreille's skipper / Latreille- springertjie	24-28.mm, female golden little butterfly with brown patch in mid forewing, male has five yellow dots on pointed forewings.